


BITS FOR PRECISION SCREWS





PRODUCTION INLINE TOOLS
● ϕ 4mm SHANK DRIVE

● FOR : DELVO (DENSEI), HIOS (FERRA TOOLS)

+ = CROSS POINT =

EDP #	MODEL #	P × d × ℓ × L
488005-101	D73	00 × 1.2 × 20 × 40
488005-102	D73	00 × 1.2 × 20 × 60
483001	D73	00 × 1.5 × 20 × 40
483002	D73	00 × 1.5 × 20 × 60
488005-103	D73	00 × 1.7 × 20 × 40
488005-104	D73	00 × 1.7 × 20 × 60
483005	D73	00 × 2 × 20 × 40
483006	D73	00 × 2 × 20 × 60
488005-105	D73	00 × 2 × 20 × 80
488005-106	D73	00 × 2 × 25 × 40
488005-107	D73	00 × 2 × 25 × 60
488005-108	D73	00 × 2 × 25 × 80
488005-109	D73	00 × 2 × 30 × 60
488005-110	D73	00 × 2 × 30 × 80
488005-111	D73	00 × 2 × 30 × 100
488005-112	D73	00 × 2 × 40 × 60
488005-113	D73	00 × 2 × 40 × 80
488005-114	D73	00 × 2 × 40 × 100
488005-115	D73	0 × 1.4 × 20 × 40
488005-116	D73	0 × 1.4 × 20 × 60
488005-117	D73	0 × 1.4 × 20 × 80
488005-118	D73	0 × 1.4 × 30 × 60
488005-119	D73	0 × 1.4 × 30 × 80
488005-120	D73	0 × 1.4 × 30 × 100
483010	D73	0 × 1.7 × 20 × 40
483011	D73	0 × 1.7 × 20 × 60
488005-121	D73	0 × 1.7 × 30 × 60
488005-122	D73	0 × 1.7 × 40 × 80
488005-123	D73	0 × 2 × 20 × 40
488005-124	D73	0 × 2 × 20 × 60
488005-125	D73	0 × 2 × 20 × 80
488005-126	D73	0 × 2 × 20 × 100
488005-127	D73	0 × 2 × 30 × 80
488005-128	D73	0 × 2 × 30 × 100
483015	D73	0 × 2.5 × 20 × 40
483016	D73	0 × 2.5 × 20 × 60
488005-129	D73	0 × 2.5 × 20 × 80
488005-130	D73	0 × 2.5 × 20 × 100
488005-131	D73	0 × 2.5 × 30 × 80
488005-132	D73	0 × 2.5 × 30 × 100
488005-133	D73	0 × 3 × 20 × 40
488005-134	D73	0 × 3 × 20 × 60
488005-135	D73	0 × 3 × 20 × 80
488005-136	D73	0 × 3 × 20 × 100
488005-137	D73	0 × 3 × 30 × 80
488005-138	D73	0 × 3 × 30 × 100
488005-139	D73	0 × 4 × 40
488005-140	D73	0 × 4 × 60



BITS FOR PRECISION SCREWS

DOUBLE-END INSERT BITS & HOLDERS

SCREWS SHANK DRIVE BITS & HOLDERS

DOUBLE-END POWER BITS

INSERT BITS

POWER BITS

BIT HOLDERS & FINDERS SERIES


SOCKET BITS (NUT SETTERS)

EXTENSIONS & ADAPTERS

BITS FOR HAND TOOLS

IMPACT SOCKETS & OTHERS




GOLD COLOUR BITS SERIES




PRODUCTION INLINE TOOLS
 ● ϕ 4mm SHANK DRIVE

● FOR : DELVO (DENSEI), HIOS (FERRA TOOLS)

= CROSS POINT =		EDP #	MODEL #	P × d × ℓ × L
		488005-141	D73	1 × 2.2 × 20 × 40
		488005-142	D73	1 × 2.2 × 30 × 60
		488005-143	D73	1 × 2.5 × 20 × 40
		488005-144	D73	1 × 2.5 × 20 × 60
		488005-145	D73	1 × 2.5 × 30 × 60
		488005-146	D73	1 × 2.5 × 30 × 80
		488005-147	D73	1 × 2.5 × 30 × 100
		483021	D73	1 × 3 × 20 × 40
		488005-148	D73	1 × 3 × 20 × 60
		488005-149	D73	1 × 3 × 20 × 80
		488005-150	D73	1 × 3 × 20 × 100
		488005-151	D73	1 × 3 × 30 × 60
		488005-152	D73	1 × 3 × 30 × 80
		488005-153	D73	1 × 3 × 30 × 100
		483025	D73	1 × 4 × 40
		488005-154	D73	1 × 4 × 60
		488005-155	D73	1 × 4 × 80
		488005-156	D73	1 × 4 × 100
		488005-157	D73	1 × 4 × 120
		488005-158	D73	2 × 3 × 20 × 40
		488005-159	D73	2 × 3 × 20 × 60
		488005-160	D73	2 × 3 × 20 × 80
		488005-161	D73	2 × 3 × 30 × 60
		488005-162	D73	2 × 3 × 30 × 80
		488005-163	D73	2 × 3 × 30 × 100
		488005-164	D73	2 × 3 × 30 × 120
		483031	D73	2 × 4 × 40
		488005-165	D73	2 × 4 × 60
		488005-166	D73	2 × 4 × 80
		488005-167	D73	2 × 4 × 100
		488005-168	D73	2 × 4 × 120
= PLAIN SLOT =		EDP #	MODEL #	w × t × ℓ × L
		488005-169	D73	1.1 × 0.28 × 20 × 40
		488005-170	D73	1.1 × 0.28 × 20 × 60
		488005-171	D73	1.1 × 0.28 × 20 × 80
		488005-172	D73	1.3 × 0.28 × 20 × 40
		488005-173	D73	1.3 × 0.28 × 20 × 60
		488005-174	D73	1.3 × 0.28 × 20 × 80
		488005-175	D73	1.5 × 0.30 × 20 × 40
		488005-176	D73	1.5 × 0.30 × 20 × 60
		488005-177	D73	1.5 × 0.30 × 20 × 80
		488005-178	D73	1.7 × 0.30 × 20 × 40
		488005-179	D73	1.7 × 0.30 × 20 × 60
		488005-180	D73	1.7 × 0.30 × 20 × 80
		488005-181	D73	1.8 × 0.40 × 20 × 40
		488005-182	D73	1.8 × 0.40 × 20 × 60
		488005-183	D73	1.8 × 0.40 × 20 × 80
		488005-184	D73	2 × 0.40 × 20 × 40
		488005-185	D73	2 × 0.40 × 20 × 60
		488005-186	D73	2 × 0.40 × 20 × 80



BITS FOR PRECISION SCREWS
 DOUBLE END INSERT BITS & HOLDERS
 SCREW SHANK DRIVERS BITS & HOLDERS
 DOUBLE END POWER BITS
 INSERT BITS
 POWER BITS
 BIT HOLDERS & FINDER SLEEVES
 SOCKET BITS (NUT SETTERS)
 EXTENSIONS & ADAPTERS
 BITS FOR HAND TOOLS
 IMPACT SOCKETS & OTHERS
 GOLD COLOUR BITS SERIES



BITS FOR PRECISION SCREWS

DOUBLE-END INSERTS & HOLDERS

SCREW SHANK OR INSERTS & HOLDERS

DOUBLE-END POWER BITS

INSERT BITS

POWER BITS

BIT HOLDERS & FINDER SERIES

SOCKET BITS (NUT SETTERS)

EXTENSIONS & ADAPTERS

BITS FOR HAND TOOLS

IMPACT SOCKETS & OTHERS




GOLD COLOUR BITS SERIES

= PLAIN SLOT =

EDP #	MODEL #	w × t × l × L
488005-187	D73	2.3 × 0.40 × 20 × 40
488005-188	D73	2.3 × 0.40 × 20 × 60
488005-189	D73	2.3 × 0.40 × 20 × 80
488005-190	D73	2.5 × 0.40 × 20 × 40
488005-191	D73	2.5 × 0.40 × 20 × 60
488005-192	D73	2.5 × 0.40 × 20 × 80
488005-193	D73	2.8 × 0.40 × 20 × 40
488005-194	D73	2.8 × 0.40 × 20 × 60
488005-195	D73	2.8 × 0.40 × 20 × 80
488005-196	D73	3 × 0.40 × 20 × 40
488005-197	D73	3 × 0.40 × 20 × 60
488005-198	D73	3 × 0.40 × 20 × 80
488005-199	D73	4 × 0.60 × 20 × 40
488005-200	D73	4 × 0.60 × 20 × 60
488005-201	D73	4 × 0.60 × 20 × 80

= TORX = (H = TAMPER PROOF)



EDP #	MODEL #	T × d × l × L
488005-202	D73	5 × 2 × 20 × 40
488005-203	D73	5 × 2 × 20 × 60
488005-204	D73	6 × 2 × 20 × 40
488005-205	D73	6 × 2 × 20 × 60
488005-206	D73	6 × 4 × 60
488005-207	D73	6 × 4 × 100
488005-208	D73	7 × 2 × 20 × 60
488005-209	D73	7 × 4 × 60
488005-210	D73	7 × 4 × 100
488005-211	D73	8H × 4 × 60
488005-212	D73	8H × 4 × 100
488005-213	D73	8H × 4 × 150
488005-214	D73	10H × 4 × 60
488005-215	D73	10H × 4 × 100
488005-216	D73	10H × 4 × 150
488005-217	D73	15H × 4 × 60
488005-218	D73	15H × 4 × 100




TORX screw with Tamper Proof

TORX screws with the centre of a screw hole projected are used in vulnerable places to prevent burglary and reduce danger.






Mainly used for handy-phones, wireless equipments, precision machineries and spare parts of automobiles.





PRODUCTION INLINE TOOLS
 ● ϕ 5mm SHANK DRIVE

● FOR : HIOS (FERRA TOOLS)

 = CROSS POINT =		EDP #	MODEL #	P × d × ℓ × L		
		483105	D76	00 × 2 × 20 × 60		
		488005-219	D76	0 × 2.5 × 20 × 40		
		483115	D76	0 × 2.5 × 25 × 60		
		488005-220	D76	0 × 2.5 × 30 × 80		
		488005-221	D76	0 × 3 × 30 × 60		
		488005-222	D76	0 × 5 × 60		
		488005-223	D76	1 × 2.6 × 30 × 60		
		488005-224	D76	1 × 2.6 × 30 × 80		
		488005-225	D76	1 × 2.6 × 30 × 100		
		488005-226	D76	1 × 2.6 × 30 × 120		
		488005-227	D76	1 × 3 × 15 × 40		
		483121	D76	1 × 3 × 30 × 60		
		488005-228	D76	1 × 3 × 30 × 80		
		488005-229	D76	1 × 3 × 30 × 100		
		488005-230	D76	1 × 3 × 30 × 120		
		483125	D76	1 × 5 × 60		
		488005-231	D76	1 × 5 × 80		
		488005-232	D76	1 × 5 × 100		
		488005-233	D76	1 × 5 × 120		
		488005-234	D76	1 × 5 × 150		
		488005-235	D76	2 × 3 × 20 × 60		
		488005-236	D76	2 × 3 × 30 × 60		
		488005-237	D76	2 × 3 × 30 × 80		
		488005-238	D76	2 × 3 × 40 × 100		
		488005-239	D76	2 × 3 × 40 × 120		
		483131	D76	2 × 5 × 60		
		488005-240	D76	2 × 5 × 80		
		488005-241	D76	2 × 5 × 100		
		488005-242	D76	2 × 5 × 120		
		488005-243	D76	2 × 5 × 150		
		= TORX = (H = TAMPER PROOF)		EDP #	MODEL #	T × d × L
				488005-244	D76	5 × 5 × 60
				488005-245	D76	6 × 5 × 60
				488005-246	D76	7 × 5 × 60
488005-247	D76			8H × 5 × 60		
488005-248	D76			10H × 5 × 60		
488005-249	D76			15H × 5 × 60		

(NOTE : IN CASE YOU CANNOT FIND SUITABLE SIZE FOR YOUR APPLICATION, WE OFFER SPECIAL-MAKE BITS.
 PLEASE SEE THE PAGE OF "GENERAL INFORMATION - HOW TO ENQUIRE AND ORDER SPECIAL ITEM".)


BITS FOR PRECISION SCREWS
 DOUBLE-END INSERT BITS & HOLDERS
 SCREW SHANK DRIVERS & HOLDERS
 DOUBLE-END POWER BITS
 INSERT BITS
 POWER BITS
 BIT HOLDERS & FINDER SLEEVES
 SOCKET BITS (NUT SETTERS)
 EXTENSIONS & ADAPTERS
 BITS FOR HAND TOOLS
 IMPACT SOCKETS & OTHERS
 GOLD COLOUR BITS SERIES

BITS FOR PRECISION SCREWS















PRODUCTION INLINE TOOLS


 **4mm DRIVE**

● FOR : DELVO (DENSEI)



BITS FOR PRECISION SCREWS
DOUBLE END INSERT BITS & HOLDERS
SCREW SHANK DRIVERS & HOLDERS
DOUBLE END POWER BITS
INSERT BITS
POWER BITS
BIT HOLDERS & FINDER SLEEVES
SOCKET BITS (NUT SETTERS)
EXTENSIONS & ADAPTERS
BITS FOR HAND TOOLS
IMPACT SOCKETS & OTHERS
GOLD COLOUR BITS SERIES


 = CROSS POINT =		EDP #	MODEL #	P × d × ℓ × L
		488005-250	EPH201	0 × 1.8 × 20 × 44
		488005-251	EPH202	0 × 1.8 × 20 × 64
		488005-252	EPH203	00 × 2 × 20 × 44
		488005-253	EPH204	00 × 2 × 20 × 64
		488005-254	EPH205	0 × 2.5 × 20 × 44
		488005-255	EPH206	0 × 2.5 × 20 × 64
		488005-256	EPH207	1 × 3 × 20 × 44
		488005-257	EPH208	1 × 3 × 20 × 64
		488005-258	EPH209	1 × 4 × 20 × 44
		488005-259	EPH210	1 × 4 × 20 × 64
		488005-260	EPH211	2 × 4 × 20 × 44
		488005-261	EPH212	2 × 4 × 20 × 64
		488005-262	EPH213	3 × 6 × 20 × 44
 = PLAIN SLOT =		EDP #	MODEL #	w × t × ℓ × L
		488005-263	EPL221	2 × 0.3 × 20 × 44
		488005-264	EPL222	2.5 × 0.3 × 20 × 44
		488005-265	EPL223	3 × 0.4 × 20 × 44
		488005-266	EPL224	4 × 0.5 × 20 × 44
		488005-267	EPL225	5 × 0.65 × 20 × 44
 = HEXAGON HEAD =		EDP #	MODEL #	H × L
		488005-268	EHW231	1.5 × 44
		488005-269	EHW232	2 × 44
		488005-270	EHW233	2.5 × 44
		488005-271	EHW234	3 × 44
 = HEX SOCKET =		EDP #	MODEL #	A/F × L
		488005-272	EBX241	2.3 × 44
		488005-273	EBX242	2.5 × 44
		488005-274	EBX243	3 × 44
		488005-275	EBX244	4 × 44
		488005-276	EBX245	4.5 × 44
		488005-277	EBX246	5 × 44
		488005-278	EBX247	5.5 × 44
= TORX = (H = TAMPER PROOF)		EDP #	MODEL #	T × L
		488005-279	ETX250	5 × 44
		488005-280	ETX251	5 × 64
		488005-281	ETX252	6 × 44
		488005-282	ETX253	6 × 64
		488005-283	ETX254	8H × 44
		488005-284	ETX255	8H × 64
		488005-285	ETX256	10H × 44
		488005-286	ETX257	10H × 64
		488005-287	ETX258	15H × 44
		488005-288	ETX259	15H × 64



Φ 2.6mm DRIVE

● FOR : MATSUSHITA (NM-101, 101L)


= CROSS POINT =	EDP #	MODEL #	P × L (HEAT TREATMENT)
	482051	D82	0 × 31 H
	482052	D82	1 × 31 H



Φ 3mm DRIVE

● FOR : VESSEL (GT-H2)


= CROSS POINT =	EDP #	MODEL #	P × L (HEAT TREATMENT)
	411021	A7	0 × 36 H
	411022	A7	0 × 70 H
	411023	A7	0 × 100 H
	411031	A7	1 × 36 H
	411032	A7	1 × 70 H
	411033	A7	1 × 100 H



Φ 4mm DRIVE

● FOR : VESSEL (GT-H3P)

= CROSS POINT =	EDP #	MODEL #	P × L (HEAT TREATMENT)
	411231	A9	1 × 40 H
	411232	A9	1 × 70 H
	411241	A9	2 × 40 H
	411242	A9	2 × 70 H



Φ 5mm HEX DRIVE

● FOR : DELVO (DENSEI), HIOS (FERRA TOOLS), HITACHI, MATSUSHITA, URYU, YOKOTA

= CROSS POINT =	EDP #	MODEL #	P × d × ℓ × L
	488002-101	B34	0 × 2 × 30 × 50
	488002-102	B34	0 × 2 × 30 × 75
	488002-103	B34	1 × 2.5 × 30 × 50
	488002-104	B34	1 × 2.5 × 30 × 75
	488002-105	B34	1 × 2.5 × 30 × 100
	488002-106	B34	1 × 4 × 30 × 70
	488002-107	B34	1 × 4 × 30 × 100
	488002-108	B34	1 × 5 × 30 × 70
	488002-109	B34	1 × 5 × 30 × 100
	488002-110	B34	2 × 3 × 30 × 50
	488002-111	B34	2 × 3 × 30 × 75
	488002-112	B34	2 × 3 × 30 × 100
	488002-113	B34	2 × 3.5 × 30 × 75
	488002-114	B34	2 × 5 × 30 × 70
	488002-115	B34	2 × 5 × 30 × 100
= TORX = (H = TAMPER PROOF)	EDP #	MODEL #	T × d × ℓ × L
	488002-116	B34	6 × 2 × 30 × 75
	488002-117	B34	6 × 2 × 30 × 100
	488002-118	B34	8H × 2.5 × 30 × 75
	488002-119	B34	8H × 2.5 × 30 × 100
	488002-120	B34	10H × 3 × 30 × 75
	488002-121	B34	10H × 3 × 30 × 100
	488002-122	B34	15H × 3.5 × 30 × 75
	488002-123	B34	15H × 3.5 × 30 × 100

BITS FOR PRECISION SCREWS
 DOUBLE-END INSERT BITS & HOLDERS
 SCRIBBY SHANK DRIVERS & HOLDERS
 DOUBLE-END POWER BITS
 INSERT BITS
 POWER BITS
 BIT HOLDERS & RIDER SERIES
 SOCKET BITS (NUT SETTERS)
 EXTENSIONS & ADAPTERS
 BITS FOR HAND TOOLS
 IMPACT SOCKETS & OTHERS
 GOLD COLOUR BITS SERIES